



IFWPRODUCTS LLC
INDUSTRIAL SAFETY • MRO

208.314.7475 (P)
208.672.3003 (F)

info@ifwsales.com
www.ifwproducts.com



TRAFFIC SAFETY



TABLE OF CONTENTS

TRAFFIC SAFETY

Triangle Kits & Wheel Chocks	2
Roadside Safety	4
Traffic Control	7
Vehicle Accessories	18
Marking Flags & Paints	19



TRAFFIC PPE

First Aid	20
Hi-Vis Safety Apparel	22
Head Protection	27
Cooling Apparel	29




TRAFFIC MISCELLANEOUS

Batteries	35
Booster Cables & Battery Terminals	38
Wiring	40
Extension Cords	41



TRIANGLE KITS & WHEEL CHOCKS



1005DTS



461OS



9503009CSP



DUFFLEKITYELLOW

TRIPLE-TRIANGLE WARNING KIT

Designed to stay where they're put—even in high wind.

Features

- Reflective plastic construction
- Quick snap-lock setup
- 360° rotation
- Non-skid rubber feet
- 1/Each
- Includes 3 folded triangles & heavy-duty plastic case
- Meets FMVSS 125, all applicable DOT standards, & all state requirements

Part No	Description
1005DTS	Triangle Kit
1005B1TS	Vehicle Bracket (For Triangle Kit)
CASES	Case Only (For Triangle Kit)

DOT COMPLIANT TRIANGLES

Weighted base to stay in place and folds flat for easy storage.

Features

- 13 lb
- 19"L x 4 3/8"H x 4 1/8"W
- Hi-Vis Orange
- 3/Pkg

Part No	Description
461OS	DOT Compliant Triangles

EMERGENCY WARNING TRIANGLE KIT

Opaque container protects fluorescent color from UV deterioration.

Features

- Weighted base for wind resistance
- Includes 3 triangles & case
- Meets DOT FMVSS125
- 13.2 lb
- 16 1/2"H x 17 3/4"W (unfolded), 4 1/4"H x 1 3/4"W (folded)
- 1/Each

Part No	Description
9503009CSP	Emergency Warning Triangle Kit

DUFFLE BAG KIT

A must have for all motor vehicles.

Features

- Warning triangle
- TruForce™ Class 2 safety vest, X-Large, Lime
- Safety lightstick, 12 hr, 6", Green
- Duffle bag, 12 3/4"H x 27 1/4"W x 13 1/2"D, Hi-Vis Yellow/Black

Part No	Description
DUFFLEKITYELLOW	Duffle Bag Kit

OSHA WHEEL CHOCK REGULATIONS

1910.178(k)(1): The brakes of highway trucks shall be set and wheel chocks placed under the rear wheels to prevent the trucks from rolling while they are boarded with powered industrial trucks.¹

1910.178(m)(7): Brakes shall be set and wheel blocks shall be in place to prevent movement of trucks, trailer, or railroad cars while loading or unloading. Fixed jacks may be necessary to support a semitrailer during loading or unloading when the trailer is not coupled to a tractor.²

1910.111(f)(9): Chock blocks. At least two chock blocks shall be provided. These blocks shall be placed to prevent rolling of the vehicle whenever it is parked during loading and unloading operations.³

¹ Occupational Safety and Health Administration. (1970a). *Occupational Safety and Health Standards: Materials Handling and Storage* (1910.178(k)(1). Retrieved from: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.178>

² Occupational Safety and Health Administration. (1970a). *Occupational Safety and Health Standards: Materials Handling and Storage* (1910.178(m)(7). Retrieved from: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.178>

³ Occupational Safety and Health Administration. (1970c). *Occupational Safety and Health Standards: Hazardous Materials* (1910.111(f)(9). Retrieved from: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.111>

STANDARD WHEEL CHOCK

Keeps light trucks and vans in place.

Features

- Fiber-reinforced-rubber construction
- Gripping fluted design increases downward pressure, locking tires in place
- 8.5 lb
- 9¾"L x 6"H x 8"W
- 1/Each

Part No	Description
MDWCTF	Standard Chock



MDWCTF



PREMIUM WHEEL CHOCK

Weight-saving, wedge-shaped design provides additional holding power for larger tires.

Features

- 7.3 lb
- 11⅝"L x 7⅜"H x 4⅜"W
- 1/Each

Part No	Description
PMWCTF*	Premium Chock <i>*While Supplies Last</i>



PMWCTF


HEAVY-DUTY WHEEL CHOCK

Curved surface grips the road for superior wheel holding power.

Features

- Made of reinforced-rubber sheets, laminated between thick steel end plates
- Welded steel eye (secures against loss)
- 11.5 lb
- 11"L x 8"H x 6"W
- 1/Each

Part No	Description
HDLWCTF	Heavy-Duty Chock



HDLWCTF

WARNING: Chocks should be used only after vehicle is completely stopped and parking brakes fully applied and tested. Position wheel chocks snugly and squarely against the center of the tire tread area of each wheel. Always use wheel chocks in pairs and on firm surfaces. More than one pair may be required. Chock in direction of grade. Chock wheels on both sides of vehicle in direction of grade. Test chocks to ensure they meet your requirements. Always remove wheel chocks before attempting to move vehicle. Do not drive over wheel chocks. Improper use can result in product failure. These guidelines are not intended to be exhaustive. Please review and follow proper wheel chock procedures whenever using wheel chocks.

ROADSIDE SAFETY



MPHONESBR

MEGAPHONE WITH SIREN

Acoustic range of up to one mile with superior audio for loud, clear messaging.

Features

- Pistol grip w/ trigger switch
- Includes microphone, alarm siren, & adjustable volume control
- Uses 8 C batteries (not included)
- 1/Each

Part No	Description
MPHONESBR	Megaphone, 1/Each
E93BP2EN	Energizer Max C Batteries, 2/Pkg



SSTG1PEP

ORIGINAL 3-IN-1® SELF-DEFENSE SPRAY


In a pocket or on a key ring—fires a powerful cone-shaped stream with effective results.

NOTE: It is the sole responsibility of the buyer to understand local laws concerning the purchase and use of pepper spray products. Buyer agrees to such laws and further agrees that these products are not intended for illegal use. Logistics Supply Corporation, LLC is not responsible for misrepresentation by buyer nor the misuse of any product purchased in this offering. By submitting an order to Logistics Supply, the buyer states that they are 18 years of age, understands local laws governing the purchase and use of these products and agrees to all terms and conditions of this transaction. No warranties are implied or expressed.

Features

- 3-in-1 Triple Formula (10% pepper gas, 1% CS tear gas, & invisible UV dye)
- Includes snap-close holster & key ring
- ½ oz
- 1/Each

Part No	Description
SSTG1PEP*	3-in-1 Spray
<i>*Cannot ship to AK, DC, HI, MA, NY, PR, WI, or Catalina.</i>	



[1] Airbag deflator [2] Striking head [3] Seat belt cutter
 [4] Red LED light [5] Emergency whistle [6] Mounting kit

5-IN-1 LIFESAVER HAMMER

A number of lifesaving features in one handy tool.

Features

- High-impact plastic w/ forged steel striking head
- Includes: airbag deflator, glass breaker, seat belt cutter, red LED flashlight, emergency whistle, & combo mounting kit w/ Velcro® mounts & glow-in-the-dark decal"
- 7"
- Orange
- 1/Each

Part No	Description
7000TS	5-in-1 Hammer

RES-Q-RENCH TOOL

Multipurpose life-saving design for emergency situations.

Features

- Includes O2 wrench, universal spanner, pry tool, window punch, seat belt cutter, & gas shutoff
- Black/Yellow
- 1/Each

Part No	Description
RQRBR	Rescue Tool



RQRBR

RESQME® TOOL

Shatters tempered glass and cuts through seat belts in seconds.

Features

- Includes detachable clip
- Yellow/Black
- 1/Each

Part No	Description
RST1BR	Escape Tool



RST1BR

STANDARD WINDOW PUNCH

Dependable punching power.

Features

- Hardened steel point
- Corrosion-resistant aluminum barrel
- Knurled finish
- 5" x 3/8"
- Gold
- 1/Each

Part No	Description
1076TS	Window Punch



1076TS

LIFESAVER™ SEAT BELT CUTTER

Cuts through webbing with ease.

Features

- 4 3/4" x 1 3/4"
- Orange
- 1/Each

Part No	Description
4000TS	Lifesaver Belt Cutter



4000TS

LIFESAVER PLUS™ SEATBELT CUTTER WITH O2 WRENCH

Easily cuts through seat belts or opens oxygen valves—fits into holsters, first aid kits, or a pocket.

Features

- Internal cartridge holds 4 blades
- 6 3/4" x 1 1/4"
- Orange
- 1/Each

Part No	Description
EM14002TS	Lifesaver Plus Seat Belt Cutter



EM14002TS

6 | **ROADSIDE SAFETY**



SK6SRBUFTN



4553BGFTN



8901OS

SPILLYFYTER™ UNIVERSAL CARRY BAG SPILL KIT

Designed for small-to-medium spills.

Features

- (1) Yellow nylon bag w/ zipper & handle
- (12) Absorbent pads
- (3) 3" x 4' socks
- (2) Nitrile gloves
- (1) Disposable bag
- (1) Instruction sheet
- 1/Each

Part No	Description
SK6SRBUFTN	Universal Carry Bag Spill Kit

SPILLYFYTER™ UNIVERSAL ZIPPER BAG SPILL KIT

Easy-to-use and store Grab & Go® spill solution with Response® products.

Features

- (1) Clear zipper bag
- (20) Universal pads
- (3) 3" x 4' universal socks
- (2) Nitrile gloves
- (1) Splash goggles
- (1) Disposal bag
- 1/Each

Part No	Description
4553BGFTN	Universal Zipper Bag Spill Kit

DELUXE ROADSIDE EMERGENCY KIT

Designed to protect one or more persons in the event of a roadside emergency. Contents subject to change without notice.

Features

- 12 1/4" L x 8 1/4" H x 4" W
- 1/Each

Kit Includes

- (3) 20-minute flares
- (1) Folding reflective triangle
- (1) Flashlight
- (2) D heavy-duty batteries
- (1) 6" Green lightstick
- (1) Thermal blanket
- (1) Orange vest
- (1) Rain poncho
- (1) Shop cloth
- (1) 8' jumper cables, 10 ga
- (1) Multi-tool
- (1) First aid packet

First Aid Packet Contents

- (4) Towelettes
- (35) Bandages
- (1) Large wound pad
- (1) Cold pack
- (1) Latex gloves (pair)
- (1) First aid creams
- (6) Alcohol wipes
- (6) Antiseptic towelettes
- (4) Sting wipes

Part No	Description
8901OS*	Deluxe Roadside Emergency Kit

*Cannot Ship to AK, HI, PR, or Catalina.

TRAFFIC DELINEATOR

Designed to be seen and to stay put.

Features

- 2-piece design w/ heavy base for extra stabilization
- Reflective band
- T-top holds standard barricade light or barricade tape

- 13 lb
- 45"
- Fluorescent orange
- 1/Each

Part No	Description
DP42TF	Delineator

DP42TF



PACK & POP COLLAPSIBLE CONES WITH LIGHT

Easy to carry and even easier to pack or deploy.

Features

- Waterproof nylon construction w/ plastic base
- Internal LED w/ 2 settings—flash/steady burn
- Uses 2 AAA alkaline batteries (included)

- 18" cones (1 reflective stripe)
- 28" cones (2 reflective stripes)
- Includes case
- Orange

Part No	Description
0350106CSP	Pack & Pop Cones, 18" w/o Feet, 2 lb ea, 4/Pkg
0350103CSP	Pack & Pop Cones, 28" w/ Feet, 4 lb ea, 5/Pkg
0350102CSP	Pack & Pop Cones, 28" w/ Feet, 4 lb ea, 4/Pkg



0350102CSP



0350106CSP

TRAFFIC CONE HOLDER


Mounts on vehicles.

Features

- Holds 18" & 28" traffic cones
- 1/Each

Part No	Description
TCHTF	Cone Holder

TCHTF



LED CONE LIGHT

Designed to fit most standard traffic cones.

Features

- Molded plastic construction
- 3 modes—Off, Steady On, & Flashing
- 1 3/4" x 3 3/4"

- Uses 2 AAA batteries (included)
- Red
- 1/Each

Part No	Description
LEDCLTF	Cone Light
AAABPRB	Power Rite AAA Alkaline Battery, 4/Pkg

LEDCLTF



TRAFFIC CONES

PVC design for superior flexibility in heat or cold.

Features

- "Bounces back" when crushed
- Wide body for extra stability

- Dayglow Orange
- 1/Each

Part No	Description
TC12TF	Traffic Cone, 12", 1.5 lb
TC18TF	Traffic Cone, 18", 2 lb
TC186TF	Traffic Cone, 18" w/ 6" Reflective Collar, 2 lb
TC28TF	Traffic Cone, 28", 4.5 lb
TC2864TF	Traffic Cone, 28" w/ 4" & 6" Reflective Collars, 4.5 lb
TC36TF	Traffic Cone, 36", 10 lb

TC28TF


TC186TF

TC36TF

TC2864TF

TC12TF

TC18TF



THE CASE FOR WORK ZONE SAFETY

In 2021, 954 people were killed and 42,151 people were injured in work zone crashes according to the National Safety Council. And since 2010, work zone deaths have increased 63%. Most of these deaths were of drivers of motor vehicles in transport, and vehicles involved in fatal crashes include both those engaged in construction activities as well as vehicles traveling through the construction zone.

National Safety Council Injury Facts. (n.d.) *Motor Vehicle Safety Issues Work Zones*. Retrieved from: <https://injuryfacts.nsc.org/motor-vehicle/motor-vehicle-safety-issues/work-zones/>



TC18BBTF

TC2864BBTF



CC528TF



1603612RCVC

TRAFFIC CONES WITH RUBBERIZED BLACK BASE

PVC design with heavy-duty base for extra stability.

Features

- Bounces back when crushed
- Dayglow Orange
- 1/Each

Part No

Description

TC18BBTF	Traffic Cone, 18", 5 lb, Dayglow Orange w/ Rubberized Black Base
TC186BBTF	Traffic Cone w/ 6" Reflective Collar, 18", 5 lb, Dayglow Orange w/ Rubberized Black Base
TC28BBTF	Traffic Cone, 28", 10 lb, Dayglow Orange w/ Rubberized Black Base
TC2864BBTF	Traffic Cone w/ 4" & 6" Reflective Collars, 28", 10 lb, Dayglow Orange w/ Rubberized Black Base
TC36BBTF	Traffic Cone, 36", 12 lb, Dayglow Orange w/ Rubberized Black Base

COLLAPSIBLE CONES WITH LIGHT

Easy to carry, transport, and deploy.

Features

- Waterproof construction w/ stable plastic base
- Internal LED w/ flash, steady, off
- Uses 2 AAA alkaline batteries (not included)
- Includes carry case
- 28" w/ 4" & 6" reflective stripes
- Orange
- 5/Pkg

Part No

Description

CC528TF	Collapsible Cones w/ Light
----------------	----------------------------

ENVIRO-CONE® TRAFFIC CONES

Offers superior "extreme-weather" performance—no cracking or breaking down to -40°F.

Features

- Manufactured from low-density polyethylene
- Remain rigid up to 180°F
- Easy Grip Groove handle makes deployment/retrieval quick/easy
- Meets all MUTCD requirements
- Orange/Black
- 1/Each

Part No

Description

160183VC	Enviro-Cone, 18", 3 lb
16018RCVC	Enviro-Cone, 18" w/ 6" Reflective Collar, 3 lb
160287VC	Enviro-Cone, 28", 7 lb
16028RCVC	Enviro-Cone, 28" w/ 4" & 6" Reflective Collars, 7 lb
1602810RCVC	Enviro-Cone, 28" w/ 4" & 6" Reflective Collars, 10 lb
160361VC	Enviro-Cone, 36", 10 lb
16036RCVC	Enviro-Cone, 36" w/ 4" & 6" Reflective Collars, 10 lb
1603612VC	Enviro-Cone, 36" w/ 4" & 6" Reflective Collars, 12 lb, Florida DOT Approved Stencil

W SERIES TRAFFIC CONES

Engineered to meet MUTCD specifications and NCHRP-350 requirements.

Features

- 1-piece, injection-molded PVC construction
- Rugged base
- Fluorescent Orange
- 1/Each

Part No	Description
0350005OCSP	W Series Cone, 18", 3 lb
0350007OCSP	W Series Cone, 28", 7 lb



0350007OCSP

TRAFFIC CONTROL DEVICES

Cones (18") must be predominantly orange and be made of material that can be struck without causing damage to the impacting vehicle. Use only during daytime and on low-speed roadways, 40 mph or less. Cones may be doubled up to increase their weight.

Cones (28") are used on freeways and other high-speed highways or at night on all highways, or when more conspicuous guidance is needed. For nighttime use, cones must have two bands of retroreflective material.



U.S. Department of Transportation Federal Highway Administration. (September 15, 2022). *Manual on Uniform Traffic Control Devices*. Chapter 6f. Temporary Traffic Control Zone Devices. Retrieved from: <https://mutcd.fhwa.dot.gov/hdm/2003r1/part6/part6f3.htm>

DW SERIES TRAFFIC CONES

Wide bodied for better stability.

Features

- PVC construction
- Rugged black bases
- Meets NCHRP-350 certification & MUTCD standards
- Orange/Black
- 1/Each

Part No	Description
0350005CSP	DW Series Cone, 18", 3 lb
0350007CSP	DW Series Cone, 28", 7 lb
0350010CSP	DW Series Cone, 28" w/ 4" & 6" Reflective Collars, 7 lb
0350006CSP	DW Series Cone, 36" w/ 4" & 6" Reflective Collars, 10 lb
0350025CSP	DW Series Cone, 36" w/ 4" & 6" Reflective Collars, 12 lb



0350005CSP

SLIMLINE CONE

Wind resistant—stands its ground in heavy traffic.

Features

- 1-piece, injection-molded PVC construction
- Rugged base
- Narrow profile
- Meets MUTCD specifications & NCHRP-350 requirements
- 28"
- Fluorescent Orange
- 1/Each

Part No	Description
0350044CSP	Slimline Cone



0350044CSP



42164VC



42133VC



0375064HICSP
(In Use)

GRABBER & LOOPER CONES

Patented handle design is easy to move and prevents sticking.

Features

- Flexible, low-density, fluorescent polyethylene Cone construction w/ UV inhibitors
- Molded-in light mounting holes for standard or D-cell barricade light
- Recessed areas protect reflective bands
- Extra-large bottom flange
- Meets MUTCD standards
- Crush-proof **Rubber Base** (sold separately) w/ easy-grip handle
- 1/Each

Part No	Description
42164VC	Grabber-Cone w/ 4" & 6" Reflective Collars (No Base), 42", Orange
46164VC	Looper-Cone w/ 4" & 6" Reflective Collars (No Base), 42", Orange
42016VC	Hexagonal Rubber Base (For Grabber & Looper Cones), 16 lb, Black

GRABBER & LOOPER TUBES

Engineered to be portable with either a **Grabber Hole** for quick, easy movement or a **Looper Hole** for transporting or stringing together a series of **Looper Tubes**.

Features

- Made of low-density polyethylene **Grabbers** w/ UV inhibitors
- Protective recessed areas for reflective bands
- Extra-large bottom flange
- **Rubber Base** (sold separately) includes carry handle & stacking rings
- 1/Each

Part No	Description
42133VC	Grabber Tube II w/ 3" Reflective Collars (No Base), 42", Orange
46133VC	Looper Tube w/ 3" Reflective Collars (No Base), 42", Orange
42000TB12VC	Hexagonal Rubber Base (For Grabber & Looper Tubes), 12 lb, Black

GRIP N GO™ CHANNELIZER CONE & BASE

Grab and go convenience.

NOTE: 16 lb rubber base sold separately.

Features

- **EZ Grab** top
- Made of high-density polyethylene (UV stabilized)
- 6" & 4" reflective stripe
- Meets MUTCD specifications & NCHRP-350 requirements
- 42"
- 1/Each

Part No	Description
0375064HICSP	Channelizer Cone, Fluorescent Orange
0375216CSP	Recycled Rubber Base (For 0375216CSP), Black


RETRACTABLE CONE BARS

Used with standard traffic cones to form a barricade.

Features

- ABS plastic construction
- Reflective bands
- Fully adjustable (3'-6 1/2')
- 1/Each

Part No	Description
YBCBTF	Cone Bar, Yellow
RWCBTF	Cone Bar, Red



ZEPHYR® PORTABLE SIGN STAND

Stands up to the rigors of Mother Nature.

Features

- Steel-plated rubber base
- 2 molded-in carrying handles
- Skid-resistant
- Universal sign holder
- Foldable, lockable vertical mast
- For 36" & 48" roll-up signs
- 38" x 17 1/2" (base)
- 28" L x 4" H x 17 1/2" W (overall)
- 1/Each

Part No	Description
26000UVC	Zephyr Sign Stand



26000UVC
(In Use)

TRAFFIX® PORTABLE SIGN STANDS

Fast, easy setup.

Features

- 10" height extender
- **Step-N-Drop** deployment
- Universal sign holders
- Use w/ 36" & 48" roll-up signs (not included)
- 40" x 67" (fully deployed)
- **22000UVC** 14"H (20 lb)
- **22300UVC** 25"H (40 lb)
- 1/Each

Part No	Description
22000UVC	Traffix Sign Stand
22300UVC	Traffix Sign Stand, Single Spring



22000UVC





4YBSBTF

SPEED BUMPS & ACCESSORIES

Designed to slow traffic to 5–10 mph.

Features

- Made of hard rubber
- Built-in cat eye reflectors
- Yellow safety strips
- Skid-resistant surface
- Temporary or permanent installations w/ mounting holes
- 4'
- 1/Each

Part No

4YBSBTF*

Description

Speed Bump, 48"L x 2¼"H x 12"W

6YBSBTF

Speed Bump, 72"L x 2¼"H x 12"W

6ECYBSBTF

Speed Bump End Cap (For 6YBSBTF)

14SRSTF

Steel Spike (For Asphalt Mounting), ½" x 14"

55CATF

Wedge Anchor (For Concrete Mounting), ½" x 5½"

**While Supplies Last*



0720OS

RED SAFETY FLARES

Eco-friendly with no potassium perchlorate.

Features

- Light wax seal
- UL912 compliant
- Red

Part No

0720OS*

Description

Flares, 20-Minute w/ Spike, 72/Case

2730OS*

Flares, 30-Minute w/ Spike, 36/Case

9340OS*

Flares, 30-Minute w/ Wire Stand, 36/Case

0720OS*

Flares, 20-Minute (No Spike/No Stand), 72/Case

0730OS*

Flares, 30-Minute (No Spike/No Stand), 36/Case

FTFCTS

Flare Container (Holds Twelve 30-Min Flares)

**Cannot ship to AK, HI, PR, or Catalina.*



RLBTF



BLBTF



GLBTF



LED LIGHT BATONS

Highly luminous and flashes up to 150x per minute.

Features

- 25 LEDs
- 3-stage switch: Off, Flashing, & Steady
- Wrist strap
- Uses 2 D-cell batteries (not included)
- 2½" x 1¾"

Part No

RLBTF

Description

Light Baton, Red, 1/Each

BLBTF

Light Baton, Blue, 1/Each

GLBTF*

Light Baton, Green, 1/Each

DBPRB

Power Rite D Alkaline Battery, 2/Pkg

**While Supplies Last*

ALL-WEATHER PVC TRAFFIC FLAGS

Easy to see. Multiple sizes.

Features

- Made of PVC
- 3/4" wooden dowel handle
- Fluorescent Orange
- 1/Each

Part No	Description
TF1824TF	Traffic Flag, 18" x 18" w/ 24" Dowel
TF1830TF	Traffic Flag, 18" x 18" w/ 30" Dowel
TF2436TF	Traffic Flag, 24" x 24" w/ 36" Dowel



TF1824TF

ALL-WEATHER VINYL TRAFFIC FLAGS

Easy to see and tear resistant.

Features

- Reinforced, heavy-duty vinyl
- 3/4" hardwood dowel
- Fluorescent Orange
- 1/Each

Part No	Description
032293417CSP	Traffic Flag, 18" x 18" w/ 24" Dowel
032293404CSP	Traffic Flag, 18" x 18" w/ 30" Dowel



032293417CSP

DID YOU KNOW?

According to MUTCD flaggers and others providing temporary traffic control should wear high-visibility clothing with a background of fluorescent orange/red or yellow/green and retro-reflective material of orange, yellow, white, silver, or yellow/green. In areas of traffic movement, this personal protective equipment will make the worker visible for at least 1000', so that the worker can be seen from any direction, and make the worker stand out from the background. Check the label or packaging to ensure that the garments are performance class 2 or 3.

U.S. Department of Transportation Federal High Administration. (September 14, 2022). *Manual on Uniform Traffic Control Device 2009 Edition*. Chapter 6E Flagger Control Section 6E.02 High-Visibility Safety Apparel. Retrieved from: <https://mutcd.fhwa.dot.gov/htm/2009/part6/part6e.htm>



STOP & SLOW PADDLE SIGNS

Real standouts in traffic.

Features

- 24" Sign
- 81" plastic handle
- Hi-Vis Orange (handle)
- 1/Each

Part No	Description
03827PCSP	Paddle Sign, Silk Screen, Non-Reflective
03822PCSP	Paddle Sign, Engineer-Grade Reflective



03827PCSP



03864CSP

STOP & SLOW ALUMINUM PADDLE SIGN

Ideal for school crossing guards, flaggers, and more.

Features

- Silk-screened
- Non-reflective
- Meets MUTCD requirements
- 18"
- 1/Each

Part No	Description
03864CSP	Stop & Slow Aluminum Paddle Sign



OSLCE18MT

OSLAE18MT

TRAFFIC PADDLES

Commands attention with a flip of the hand.

Features

- 18" sign
- 1/Each

Part No	Description
OSLCE18MT	Stop/Slow, Plastic, Non-Reflective, 12" PVC Handle
OSLCR18MT	Stop/Slow, Plastic, Reflective, 12" PVC Handle
OSLAE18MT	Stop/Slow, Aluminum, Non-Reflective, 12" PVC Handle
OSSAE18MT	Stop/Stop, Aluminum, Non-Reflective, 9" Steel Handle



18018SSVC


STOP/SLOW PADDLES

High-intensity, reflective, and lightweight.

Features

- Aluminum construction w/ no sharp edges
- 1" Dia handle
- 1/Each

Part No	Description
18018SSVC	Paddle w/ Wooden Handle, 18"
180246SSVC	Paddle w/ 6' Two-Piece Plastic Handle & Rubber End Cap, 24"



SF4100TF

SAFETY FENCE

Reusable, lightweight, and very easy to see.

Features

- Polyethylene construction
- UV stabilized to resist fading
- 8.5 lb
- 4' x 100'
- Hi-Vis Orange
- 1/Each

Part No	Description
SF4100TF	Safety Fence

STANDARD SAFETY FENCE

Tough, easy to see, and long-lasting.

Features

- Polypropylene construction
- Reusable & easy to transport/store
- 12 lb
- 4' x 100'
- Hi-Vis Orange
- 1/Each



Part No	Description
SF101RRC	Standard Fence

BARRICADE TAPES, 3 MIL

Low-cost barrier protection.

Features

- Polyethylene construction
- 3 mil
- 3" x 1000'
- 1/Each

Part No	Description
BTDRTF	Tape, "Danger", Red/Black
BTCYTF	Tape, "Caution", Yellow/Black
BTCBLYTF	Tape, "Caution/Cuidado", Bilingual, Yellow/Black

BTDRTF



BTCYTF

BARRICADE TAPES, 2 MIL

An economical, disposable marking solution that comes in a variety of mil thicknesses.

Features

- Co-extruded polyethylene construction
- 3" x 1000'
- 8/Case

Part No	Description
B3102Y16PR	Tape, "Caution", Yellow
B3102Y13PR	Tape, "Caution Cuidado", Yellow
B3102Y9PR	Tape, "Caution Do Not Enter", Yellow
B3102R10PR	Tape, "Danger Do Not Enter", Red



B3102R10PR



BARRICADE TAPES, 2.5 MIL

An economical, disposable marking solution that satisfies the most stringent applications.

Features

- Co-extruded polyethylene construction
- 3" x 1000'

Part No	Description
LB31022Y16PR	Tape, "Caution", Yellow, 8/Case
EAB31022Y9PR	Tape, "Caution Do Not Enter", Yellow, 1/Each
B31022R21PR	Tape, "Danger", Red, 8/Case
EAB31022R10PR	Tape, "Danger Do Not Enter", Red, 1/Each
EALB31022Y15PR	Tape, "Fire Line Do Not Cross", Yellow, 1/Each
LB31022Y15PR	Tape, "Fire Line Do Not Cross", Yellow, 8/Case



EALB31022Y15PR



TT1010TS

BARRICADE TAPE DISPENSER

Easy to load and helps reduce waste and snares with serrated cutting blade.

Features

- Polypropylene construction
- Holds 1000' roll of 3" barricade tape
- Lightweight & virtually indestructible
- Black
- 1/Each

Part No	Description
TT1010TS	Barricade Tape Dispenser



LFAAATF

LED TRAFFIC WARNING FLARE

Ideal for roadside and marine emergencies.

Features

- Durable plastic construction
- Waterproof, floats
- 12 outer/4 inner LEDs (for flashlight operation)
- 10 flash patterns
- 360° flash coverage
- 4/4" x 1 1/8"
- Mounting options: magnetic & closed loop for rope, cable, etc.
- Requires 3 AAA batteries (not included)
- 1/Each

Part No	Description
LFAAATF	LED Traffic Warning Flare



0310WAYDCCSP

BARRICADE LIGHTS

Highly visible during evening and low-light hours.

Features

- Light-reactive ambient photocells
- High-impact plastic encased LED
- 90° lens rotation w/ 3 modes (Flashing, Steady Burn, & Off)
- Meets MUTCD requirements
- ITE certified
- Uses 4 D batteries (not included)
- Amber

Part No	Description
0310WAYDCCSP	Barricade Light, 10/Case
DBPRB	Power Rite D Batteries, 2/Pkg

A-FRAME BARRICADE LEG

Designed to support one or two T-boards or I-beams.

Features

- Injection-molded structural foam construction
- White
- 1/Each

Part No	Description
9701004CSP	A-Frame Leg (Single)



9701004CSP
(In Use)



T-BOARD RAIL

Withstands extreme temperatures—won't rot, crack, or peel.

Features

- Made from exterior-grade, UV stabilized PVC w/ engineer-grade reflective sheeting
- 6'L x 8"H x 2"D
- Orange/White
- 1/Each

Part No	Description
970102802CSP	T-Board Barricade Rail



970102802CSP

STEELCADE TYPE II BARRICADE

Withstands extreme temperatures—won't rot, crack, or peel.

Features

- 14 ga painted steel legs
- 8" plastic panels w/ engineer-grade striped reflective sheeting
- Recessed holes for easy panel mounting
- 45" x 24"
- Orange/White
- 1/Each

Part No	Description
9703002CSP	Steelcade Type II Barricade



9703002CSP

CAL-OSHA PROTECTOR CAPS

Excellent protection against impalement from rebar in concrete.

Features

- Impalement protection: up to 7½' & 250 lb
- Metal-reinforced caps fit #3-#8, 3/8"-7/8" Dia rebar
- Meet CAL-OSHA requirements
- 3½" x 3½"
- Orange
- 100/Pkg

Part No	Description
971810CSP	Cal-OSHA Caps



971810CSP

PROTECTOR CAPS

Creates a safer rounded end with a visual warning.

Features

- 100/Pkg

Part No	Description
9718121CSP	A10 Caps (Fits 3/8"-1 1/4" Dia Rebar & 1 3/4" ID Pipe), Lime
971814CSP	A20 Caps (Fits 1"-2 1/4" Dia Rebar & 1 3/4" ID Pipe), White



9718121CSP



ACS10PU

SAVE-A-LOAD® CARGO BAR

Tough, light, and effective—secures a load in seconds.

Features

- Fully adjustable (47"–75")
- Maintenance-free pump w/ push-button instant release
- Pressure-limiting valve (prevents damage to vehicle)
- Pivoting feet & nonslip rubber pads (grips any surface)
- 1/Each

Part No	Description
ACS10PU	Cargo bar



700104

FORM HOLDER

Designed to hold and organize loose forms, invoices, work orders, and more.

Features

- Includes swivel bar clip & writing plate
- 8½" x 12"
- 1/Each

Part No	Description
700104*	Form Holder <i>*While Supplies Last</i>



700107

VEHICLE INSPECTION REPORTS

Three-part carbon forms are consecutively numbered and required by 49CFR, Sections 396.11 and 396.13.

Features

- 9½" x 5½"
- 100/Pkg

Part No	Description
700107	Vehicle Reports



700108BR (In Use)


DOOR POUCH—FOR DOT PAPERS

Meets shipping paper accessibility requirements.

Features

- Includes snaps for door attachment
- 15" x 10"
- 1/Each

Part No	Description
▲ 700108BR	Pouch



ZLRHBR (In Use)

ZIP-LOCK REPORT HOLDER

Protective and transparent, attaches to equipment for easy access.

Features

- Holds 8½" x 11" forms
- Clear
- 1/Each

Part No	Description
ZLRHBR	Report holder

IN USE PICTURES MAY SHOW ITEMS NOT INCLUDED OR SOLD SEPARATELY.

WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

MARKING FLAGS

21" Wire Staff 2" x 3" Flags

Bright, bold colors in long-lasting, vivid shades.

Features

- Wind & weather resistant
- Flags are glued on for a stronger hold
- 2" x 3" flags
- 21" wire staffs

Part No	Description
2321BPR	Standard Flag, Blue, 1000/Case
BN2321BGPR	PresGlo Flag, Blue Glo, 100/Case
2321GPR	Standard Flag, Green, 1000/Case
2321OPR	Standard Flag, Orange, 1000/Case
BN2321OGPR	PresGlo Flag, Orange Glo, 100/Case
BN2321OGPR	PresGlo Flag, Orange Glo, 100/Case
2321PGPR	PresGlo Flag, Pink Glo, 1000/Case
BN2321PGPR	PresGlo Flag, Pink Glo, 100/Case
2321RPR	Standard Flag, Red, 1000/Case
BN2321RGPR	PresGlo Flag, Red Glo, 100/Case
2321WPR	Standard Flag, White, 1000/Case
BN2321WPR	Standard Flag, White, 100/Case
2321YPR	Standard Flag, Yellow, 1000/Case

24" Wire Staff 4" x 5" Flags

Bright, bold color for improved visibility.

Features

- Wind & weather resistant
- Glued to staffs for a stronger hold
- 4" x 5" flag w/ 24" wire staff
- Pink
- 1000/Case

Part No	Description
4524PGPR	PresGlo Flag, Pink Glo



BN2321OGPR



4524PGPR



QUICK-MARK™ INVERTED MARKING PAINT

Bright, visible markings on virtually any surface—gravel, asphalt, soil, grass, stone, concrete, and more.

Features

- Special high-solids formulation
- 1-coat coverage
- Non-clogging spray tip
- Spray-Thru™ cap for inverted painting
- 12/Case

Part No	Description
▲ S03610KP	Quik-Mark, Water Based, Fluorescent Safety Red
▲ S03700KP	Quik-Mark, Water Based, Fluorescent Orange
▲ S03904KP	Quik-Mark, Water Based, APWA Green
▲ S03911KP	Quik-Mark, Water Based, APWA Brilliant Red
▲ S03901KP	Quik-Mark, Water Based, APWA Brilliant White
▲ S03801KP	Quik-Mark, Water Based, APWA Utility Yellow
▲ S03630KP	Quik-Mark, Water Based, Fluorescent Safety Green
▲ S03620KP	Quik-Mark, Water Based, Fluorescent Caution Blue
▲ S03903KP	Quik-Mark, Water Based, APWA Blue
▲ S03702KP	Quik-Mark, Solvent Based, Fluorescent Orange
▲ S03622KP	Quik-Mark, Solvent Based, Fluorescent Hot Pink
▲ S03900KP	Quik-Mark, Solvent Based, APWA Utility White
▲ S03621KP	Quik-Mark, Solvent Based, APWA Blue



SO3620KP

WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.



214UFAOAC

FIRST AID ONLY.



291UFAOAC



220OAC

BLOODBORNE PATHOGEN/BODY FLUID SPILL KIT

Meets the needs of several specific jobs and industries with the best mix of the most common items. Contents subject to change without notice.

Features

- English/Spanish labels
- Plastic cane w/ carry handle
- 9" L x 8" H x 2½" W
- 1/Each

Kit Includes

- (2) Biohazard bags, 24" x 24", 10 gal capacity
- (1) Biohazard scoop
- (1) Bodily fluid pick-up guide
- (3) BZK antiseptic towelettes
- (2) Clear plastic bags
- (3) Disposable clean-up towels
- (1) Disposable gown
- (2) Disposable shoe covers
- (1) Eye & face shield
- (1) Fluid control solidifier pack, 21 g
- (2) Germicidal wipes, 8" x 8"
- (2) Nitrile exam gloves
- (2) Twist ties

Part No

214UFAOAC

Description

Bloodborne Pathogen/Body Fluid Spill Kit

16-UNIT TRUCKER'S WEATHERPROOF FIRST AID KIT

Meets the needs of several specific jobs and industries with the best mix of the most common items. Contents subject to change without notice.

Features

- English/Spanish labels
- Plastic case w/ carry handle
- 9½" L x 6½" H x 2¾" W
- 1/Each

Kit Includes

- (9) 5 Fingertip & 4 knuckle fabric bandages
- (16) Adhesive fabric bandages, 1" x 3"
- (10) Alcohol wipes
- (20) BZK antiseptic towelettes
- (1) Cold pack, 4" x 5"
- (1) Conforming gauze roll, 2"
- (1) CPR face shield
- (1) Eyewash, 4 oz
- (1) First aid guide
- (1) First aid tape, ½" x 10 yd
- (4) Nitrile exam gloves
- (1) Scissors
- (2) Sterile eye pads
- (6) Sterile gauze pads, 2" x 2"
- (4) Sterile gauze pads, 3" x 3"
- (12) Triple antibiotic ointment packets, 0.5 g

Part No

291UFAOAC

Description

16-Unit Trucker's Weatherproof First Aid Kit

25-PERSON VEHICLE WEATHERPROOF FIRST AID KIT

Meets the needs of several specific jobs and industries with the best mix of the most common items. Contents subject to change without notice.

Features

- English/Spanish labels
- Plastic case w/ carry handle
- 9½" L x 6½" H x 2¾" W
- 1/Each

Kit Includes

- (9) 5 Fingertip & 4 knuckle fabric bandages
- (16) Adhesive plastic bandages, ¾" x 3"
- (6) Burn gel packets, ½ oz
- (20) BZK antiseptic towelettes
- (1) Cold pack, 4" x 5"
- (1) Conforming Gauze Roll, 2"
- (1) Eyewash, 4 oz
- (1) First aid guide
- (1) First aid tape, ½" x 10 yd
- (10) Ibuprofen tablets
- (4) Nitrile exam gloves
- (1) Scissors
- (2) Sterile eye pads
- (6) Sterile gauze pads, 3" x 3"
- (1) Triangular bandage, 40" x 40" x 56"
- (4) Triple antibiotic ointment packets, 0.5 g
- (1) Tweezers

Part No

220OAC

Description

25-Person Vehicle Weatherproof First Aid Kit

143-PIECE AUTO FIRST AID KIT

Specially designed to handle typical roadside medical emergencies. Contents subject to change without notice.

Features

- Soft-sided pouch
- 9¼" L x 7" H x 2⅞" W
- 1/Each

Kit Includes

- (1) Accident guide
- (2) Adhesive plastic bandages, 2" x 4"
- (50) Adhesive plastic bandages, ¾" x 3"
- (10) Adhesive plastic bandages, ⅝" x 1½"
- (8) Alcohol wipes
- (3) Butterfly wound closures
- (12) BZK antiseptic towelettes
- (1) "Call 911" Emergency Flag
- (1) Cold pack, 4" x 5"
- (1) Conforming gauze roll, 2"
- (10) Cotton tipped applicators
- (1) Emergency blanket, 52" x 84"
- (4) Extra-strength non-aspirin tablets
- (1) Finger splint/tongue depressor
- (2) Fingertip fabric bandages
- (3) First aid cream packets, 0.9 g
- (1) First aid guide
- (1) First aid tape, ½" x 5 yd
- (4) Ibuprofen tablets
- (2) Knuckle fabric bandages
- (1) Light stick
- (2) Moleskin (blister prevention), 2" x 2"
- (2) Motion sickness tablets
- (2) Nitrile exam gloves
- (1) Patch plastic bandages, 1 ½" x 1 ½"
- (1) Poncho
- (2) Safety pins
- (1) Sterile eye pads
- (6) Sterile gauze pads, 2" x 2"
- (2) Sterile gauze pads, 3" x 3"
- (1) Trauma pad, 5" x 9"
- (1) Tweezers



FAO552AC

Part No	Description
FAO552AC	143-Piece Auto First Aid Kit



HEAT STRESS FIRST AID KIT MEDIUM

Designed to treat heat-related illness. Contents subject to change without notice.

Features

- Weatherproof wall-mountable case
- OSHA compliant
- 8¼" L x 5½" H x 3" W
- 1/Each

Kit Includes

- (4) Electrolyte drink mix packets
- (2) Water packets, 4 oz
- (2) Instant cold packs, 4" x 5"
- (2) Disposable thermometers
- (1) Emergency blanket, 52" x 84"
- (1) Waterproof tape spool, ½" x 5 yd

Part No	Description
91383AC	Heat Stress First Aid Kit, Medium



91383AC

HEAT STRESS FIRST AID KIT LARGE

Designed to treat heat-related illness. Contents subject to change without notice.

Features

- Weatherproof wall-mountable case
- OSHA compliant
- 9½" L x 6½" H x 3" W
- 1/Each

Kit Includes

- (12) Electrolyte powder drink mix
- (2) Water packets, 4 oz
- (4) Instant cold packs, 4" x 5"
- (5) Disposable thermometers
- (1) Emergency blanket, 52" x 84"
- (2) Waterproof tape spool, ½" x 5 yd

Part No	Description
5250AC	Heat Stress First Aid Kit, Large



5250AC




SV2C1LLTF

CLASS 2 SOLID MESH SAFETY VESTS

Higher visibility at a lower price point.

Features

- 100% polyester mesh construction
- 2" glass bead reflective stripes
- Hook-&-loop closure
- Meets ANSI 107 Class 2 standards

- Sizes: SM/MD (36"-44"), LG/XL (44"-52"), 2XL/3XL (52"-58"), & 4XL/5XL (58"-64")
- 1/Each

Part No

Part No	Description
SV2C1LMTF	Solid Safety Vest, Medium, Lime
SV2C1LLTF	Solid Safety Vest, Large, Lime
SV2C1LXLTF	Solid Safety Vest, X-Large, Lime
SV2C1LXXLTF	Solid Safety Vest, 2X-Large, Lime
SV2C1L3XLTF	Solid Safety Vest, 3X-Large, Lime
SV2C1L4XLTF*	Solid Safety Vest, 4X-Large, Lime
SV2C1OLTf	Solid Safety Vest, Large, Orange
SV2C1OXLTF	Solid Safety Vest, X-Large, Orange

*While Supplies Last

DID YOU KNOW?

ANSI/ISEA 107 provides the performance requirements for the materials used in high visibility PPE. These requirements focus on the color and brightness relative to the work environment, and use of fluorescent and retro-reflective materials. The standard also details three performance classes for garments based on the worker hazard and tasks, complexity of the work environment, and vehicular traffic and speed conditions.

International Safety Equipment Association. (n.d.). *High Visibility Products American National Standards*. Retrieved from: https://safetyequipment.org/worker_protections/high-visibility-products/



SV2C2LLTF

CLASS 2 SURVEYOR'S SAFETY VESTS

A safe choice in hi-vis protection.

Features

- 100% polyester mesh top & solid fabric bottom
- Zipper closure
- 6 pockets—(2) chest, (2) inside, & (2) flap w/ hook-&-loop closure
- 2" glass bead reflective stripes

- Meets ANSI 107 Class 2 standards
- Sizes: SM/MD (36"-44"), LG/XL (44"-52"), & 2XL/3XL (52"-58")
- 1/Each

Part No

Part No	Description
SV2C2LMTF	Surveyor's Vest, Medium, Lime
SV2C2LLTF	Surveyor's Vest, Large, Lime
SV2C2LXLTF	Surveyor's Vest, X-Large, Lime
SV2C2LXXLTF	Surveyor's Vest, 2X-Large, Lime
SV2C2L3XLTF	Surveyor's Vest, 3X-Large, Lime
SV2C2OMTF	Surveyor's Vest, Medium, Orange
SV2C2OLTf	Surveyor's Vest, Large, Orange
SV2C2OXLTF	Surveyor's Vest, X-Large, Orange
SV2C2OXXLTF	Surveyor's Vest, 2X-Large, Orange

PERFORMANCE CLASS GUIDELINES

Type O (off-road): For off-road workers who don't work near roadway traffic.

Type R (roadway): For workers exposed to roadway traffic.

Type P (public safety): For first responders and emergency personnel.

HVSA is also rated for its level of coverage:

Class 1: Lowest body coverage and good visibility.

Class 2: Moderate body coverage and enhanced visibility.

Class 3: Superior body coverage and visibility. This is the best option for poor light conditions and for providing good visibility at distance.

American National Standards Institute. (October 4, 2022). *What you Need to Know about High-Visibility Safety Apparel (HVSA)*. Retrieved from: <https://blog.ansi.org/high-visibility-safety-apparel-hvsa/>

CLASS 2 TWO-TONE MESH SAFETY VESTS

Reflects the importance of safety—low light to virtually no light.

Features

- 100% polyester mesh construction
- Polyester bindings
- Zippered closure
- 2" glass bead reflective stripes
- Meets ANSI 107 Class 2 standards
- Sizes: SM/MD (36"-44"), LG/XL (44"-52"), 2XL/3XL (52"-58")
- 1/Each

Part No	Description
SV2C3LMTF	Two-Tone Vest, Medium, Lime
SV2C3LLTF	Two-Tone Vest, Large, Lime
SV2C3LXLTF	Two-Tone Vest, X-Large, Lime
SV2C3LXXLTF	Two-Tone Vest, 2X-Large, Lime
SV2C3L3XLTF	Two-Tone Vest, 3X-Large, Lime



SV2C3LLTF



GENERAL-PURPOSE MESH SAFETY VESTS

Hi-vis not high priced.

Features

- 100% polyester mesh fabric & bindings
- Hook-&-loop front
- Elastic strapped sides
- Universal
- 1/Each

Part No	Description
SVGN1LTF*	Safety Vest, Lime w/o Stripes
SVGN2LTF	Safety Vest, Lime w/ 1" Silver Stripes
SVGN2OTF	Safety Vest, Orange w/ 1" Silver Stripes

**While Supplies Last*



SVGN2OTF

SVGN1LTF



21075EG



21025EG



21125EG



23397EG

GLOWEAR® CLASS 2 SOLID MESH BREAKAWAY VESTS

ANSI compliance and a "break away" design help ensure safety on the job.

Features

- ANSI-compliant polyester mesh construction
- Contrasting 2" Level 2 ANSI-compliant reflective tape
- 5-point hook-&-loop closure
- 1 inside pocket
- Meets ANSI 107 Class 2 standards
- Lime
- 1/Each

Part No

- | Part No | Description |
|----------------|--------------------------------|
| ▲ 21075EG | 8215BA Vest, Large/X-Large |
| ▲ 21077EG | 8215BA Vest, 2X-Large/3X-Large |

GLOWEAR® CLASS 2 SOLID MESH VESTS

Made to be seen—day or night.

Features

- 3.3 oz ANSI-compliant polyester mesh construction
- 2" Level 2 ANSI-compliant reflective tape
- Inside pocket & exterior pocket
- Hook-&-loop closure
- Meets ANSI 107 Class 2 standards
- Lime
- 1/Each

Part No

- | Part No | Description |
|----------------|---|
| ▲ 21025EG | 8210HL Class 2 Solid Mesh Vest, Large/X-Large |
| ▲ 21027EG | 8210HL Class 2 Solid Mesh Vest, 2X-Large/3X-Large |

GLOWEAR® CLASS 2 STANDARD MESH VESTS

Safety-minded design that's easy to doff and don.

Features

- 3.3 oz ANSI-compliant polyester mesh construction
- 2" Level 2 ANSI-compliant reflective tape
- 1 inside & 2 outside pockets
- Zipper closure
- Meets ANSI 107 Class 2 standards
- Lime
- 1/Each

Part No

- | Part No | Description |
|----------------|---|
| ▲ 21125EG | 8220Z Class 2 Standard Mesh Vest, Large/X-Large |
| ▲ 21127EG | 8220Z Class 2 Standard Mesh Vest, 2X-Large/3X-Large |

GLOWEAR® PUBLIC SAFETY VESTS

Dual-tone, 5-point breakaway design.

Features

- 3.3 oz ANSI-compliant polyester mesh construction
- 2" Level 2 ANSI-compliant reflective tape
- 1 inside pocket
- Zipper closure
- Meets ANSI 107 Class 2 standards
- Lime
- 1/Each

Part No

- | Part No | Description |
|----------------|---|
| ▲ 23395EG | 8245PSV Public Safety Vest, Large/X-Large |
| ▲ 23397EG | 8245PSV Public Safety Vest, 2X-Large/3X-Large |
| ▲ 23399EG | 8245PSV Public Safety Vest, 4X-Large/5X-Large |



WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

GLOWEAR® STANDARD REFLECTIVE VESTS

Made to stand out in low or no-light situations.

Features

- Made of 2.6 oz polyester mesh
- 2 vertical 1" reflective tape stripes
- Hook-&-loop closure
- Non-compliant
- Universal
- 1/Each

Part No	Description
▲ 20040EG	8020HL Standard Reflective Vest, Lime
▲ 20030EG	8020HL Standard Reflective Vest, Orange



20030EG



GENERAL-PURPOSE MESH VESTS

Designed for a multitude of low-light situations requiring high visibility.

Features

- Hook-&-loop closure
- Elastic side straps
- 18" x 47"
- 1/Each

Part No	Description
▲ V200RC	Vest, Lime w/o Stripes
▲ V201RC	Vest, Orange w/o Stripes
▲ V211RRC	Vest, Orange w/ 3/4" Lime Stripes
▲ V200RRC	Vest, Lime w/ 2" Orange/Silver Stripes
▲ V201RRC	Vest, Orange w/ 2" Lime/Silver Stripes



V200RC



V200RRC



LUMINATOR™ CLASS 2 TWO-TONE MESH VESTS

Two tone for a higher level of visibility.

Features

- 2" silver on 4 1/2" orange reflective stripes
- Zipper closure
- 2 inside pockets
- Meets ANSI 107 Class 2 standards
- Lime
- 1/Each

Part No	Description
▲ WCCL2LLRC	Vest, Large
▲ WCCL2LXLR	Vest, X-Large
▲ WCCL2LXXLR	Vest, 2X-Large
▲ WCCL2L3XLR	Vest, 3X-Large



WCCL2LLRC

WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.



VCL2MLLRC

LUMINATOR™ CLASS 2 SOLID MESH VESTS

Hi-vis protection with pockets to spare.

Features

- 2" silver reflective striping
- Hook-&-loop closure
- 3 pockets—left bottom, left chest, & right inside

- Meets ANSI/ISEA 107 Class 2 standards
- Lime
- 1/Each

Part No	Description
▲ VCL2MLLRC	Vest, Large
▲ VCL2MLXLRC	Vest, X-Large
▲ VCL2MLXXLRC	Vest, 2X-Large
▲ VCL2ML3XLRC	Vest, 3X-Large



23238EG

GLOWEAR® BASEBALL CAPS

Classic-style with a hi-vis design.

Features

- ANSI-certified, 150-D oxford polyester
- ¼" ANSI-compliant tape—(1) 360° horizontal, (1) brim stripe

- Mesh vented panels
- Universal
- 1/Each

Part No	Description
▲ 23238EG	8930 Cap, Orange
▲ 23239EG	8930 Cap, Lime



23259EG

GLOWEAR® RANGER HATS

Comfortable and hi-vis in a better sun-blocking design.

Features

- Made of ANSI-compliant, 150-D oxford polyester
- 360° brim
- Mesh vent panels

- 1" Level 2 ANSI-compliant tape
- 1/Each

Part No	Description
▲ 23257EG	8935 Hat, Orange, Small/Medium
▲ 23258EG	8935 Hat, Orange, Large/X-Large
▲ 23259EG	8935 Hat, Lime, Small/Medium
▲ 23260EG	8935 Hat, Lime, Large/X-Large



WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

V-GARD® PROTECTIVE CAPS & HATS

Meets requirements for a Type I Helmet (top impact).

Features

- Polyethylene shell
- Meets ANSI Z89.1, Class E
- 4-point suspension system
- 1/Each

Color	Standard V-Gard Slotted Cap		Standard V-Gard Slotted Hat	
	w/ Staz-On Suspension	w/ Fas-Trac Suspension	w/ Staz-On Suspension	w/ Fas-Trac Suspension
White	463942MSA	475358MSA	454733MSA	475369MSA
Blue	463943MSA	475359MSA		475368MSA
Yellow	463944MSA	475360MSA		475366MSA
Orange		475361MSA	454734MSA	496075MSA
Red	463947MSA	475363MSA		475371MSA
Green	463946MSA	475362MSA		475370MSA
Gray	463948MSA	475364MSA	454731MSA	475367MSA
Hot Pink		10155230MSA	10156374MSA	10156373MSA
Silver		495855MSA		
Hi-Vis Orange**	488148MSA	488146MSA	489360MSA	10021292MSA
Hi-Vis Yellow/Green**		10061512MSA		10061515MSA
Bright Lime Green	815558MSA	815565MSA		815570MSA
Dark Blue		802972MSA		802975MSA
Gold	464852MSA			
Black	475235MSA	492559MSA		
Pink	485364MSA	495862MSA		

** V-Gard Cap/Hat meets the voluntary standard for hi-visibility as prescribed by ANSI/ISEA Z89.1. Look for the official hi-visibility marking (HV) on the helmet's ANSI label.



463944MSA



488148MSA



10061515MSA



454731MSA



Fas-Trac® Suspension



Staz-On® Suspension

CUSTOM ORDERS

Our hard hats can be customized with company logos and choice of reflective striping. **Contact us for more information.**

28 | HEAD PROTECTION



20395SX

JACKSON® CHARGER CAPS

Contoured dome provides maximum protection.

Features

- HDPE construction
- 4-point, injection-molded ratchet suspension
- Earmuff/face shield slots
- Rain trough
- Meets ANSI Z89.1, Type I, Class E
- 1/Each

Part No	Description
▲ 20395SX	Cap, Hi-Vis Orange
▲ 20403SX	Cap, Neon Pink
▲ 20394SX	Cap, Red
▲ 20392SX	Cap, White

JACKSON

14416SX

JACKSON® SENTRY III CAPS

Lightweight and low profile with a low-riding nape strap to prevent slipping.

Features

- Made of high-density polyethylene (HDPE)
- 6-point, injection-molded ratchet suspension
- Accessory slots
- Meets ANSI Z89.1, Type I, Class C, E, & G
- 1/Each

Part No	Description
▲ 14416SX	Cap, Blue
▲ 14409SX	Cap, White

TruForce

HHRTF (In Use)

HARD HAT RACK

Secure, convenient, and easy to install.

Features

- Nickel-plated metal construction
- Holds 1 hard hat
- Hangs on car or truck seat (front or back)
- 1/Each

Part No	Description
HHRTF	Hard Hat Rack

IN USE PICTURES MAY SHOW ITEMS NOT INCLUDED OR SOLD SEPARATELY.



WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

V-GARD® SUN SHIELD ASSEMBLIES

Perfect for anyone working outside in the hot sun—protects the neck and ears, keeping them cooler and more comfortable.

Features

- Polyurethane/Lexan™ construction
- Extended brim
- 1/Each

Part No	Description
697290MSA	Sun Shield (For V-Gard Caps)
697410MSA	Sun Shield (For V-Gard Hats)



697290MSA
(In Use)



HARD HAT SUN SHADES

Protects ears and neck from sun and heat while enhancing wearer's visibility.

Features

- Polyester-mesh material w/ contrasting hi-vis bands & reflective striping
- Fits most caps & hats
- 1/Each

Part No	Description
10098031MSA	Sun Shade, Hi-Vis Orange
10098032MSA	Sun Shade, Hi-Vis Yellow/Green



10098031MSA
(In Use)

CHILL-ITS® HARD HAT BRIMS WITH SHADES

Excellent face and neck protection from the sun's harmful rays.

Features

- Polyester fabric construction
- Elastic inner rim to fit most hard hats
- 1/Each

Part No	Description
▲ 12640EG	Hard Hat Brim w/ Shade, Lime
▲ 12641EG	Hard Hat Brim w/ Shade, Orange



12640EG
(In Use)



STOW-AWAY HARD HAT SHADES

Protects back of neck, evaporates sweat, and fits most helmets.

Features

- Cotton construction (hi-vis poly oxford)
- Extra-long neck shade
- w/ wire spring rim
- 1/Each
- Folds away into 6" circular self-pouch

Part No	Description
899HVYOX	Shade, Hi-Vis Yellow
899KHKOX	Shade, Khaki,
899NVYOX	Shade, Navy
899WHTOX	Shade, White



899HVYOX (In Use)

IN USE PICTURES MAY SHOW ITEMS NOT INCLUDED OR SOLD SEPARATELY.

⚠ **WARNING:** This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.



870NVYOX (In Use)

SNAP-ON HARD HAT SWEATBANDS

Fast, easy attachment during hot weather.

Features

- 100% cotton
- Machine washable

Part No	Description
870B100NVYOX	Snap-On Band, Navy, 100/Pkg
870B20BGE0X	Snap-On Band, Beige, 20/Pkg
870BGE0X	Snap-On Band, Beige, 1/Each
870NVYOX	Snap-On Band, Navy, 1/Each



12440EG (In Use)

CHILL-ITS® TERRY SWEATBAND

Heat-beating design fits most hard hat suspension systems.

Features

- Made of 100% cotton
- Universal
- Gray
- 1/Each

Part No	Description
▲ 12440EG	6609 Sweatband



12305EG

CHILL-ITS® COOLING BANDANAS

Designed to help individuals stay cool and fight fatigue for up to four hours.

- Lightweight & comfortable
- Adjustable cotton material w/ super-absorbent acrylic polymer
- Cold water activated (2–5 minutes)
- Reusable
- Universal
- 1/Each

Part No	Description
▲ 12301EG	6700 Bandana, Tie Closure, Lime
▲ 12303EG	6700 Bandana, Tie Closure, Stars & Stripes
▲ 12304EG	6700 Bandana, Tie Closure, Camo
▲ 12305EG	6700 Bandana, Tie Closure, Red Western
▲ 12306EG	6700 Bandana, Tie Closure, Navy Western
▲ 12307EG	6700 Bandana, Tie Closure, Blue
▲ 12313EG	6705 Bandana, Hook-and-Loop Closure, Stars & Stripes
▲ 12314EG	6705 Bandana, Hook-and-Loop Closure, Camo
▲ 12316EG	6705 Bandana, Hook-and-Loop Closure, Navy Western



12326EG

CHILL-ITS® COOLING TRIANGLE HATS

Designed to help individuals stay cool and fight fatigue for up to four hours.

- Lightweight & comfortable
- Covers head completely
- Tie closure
- Cold water activated (2–5 minutes)
- Reusable
- Universal
- 1/Each

Part No	Description
▲ 12323EG	6710 Hat, Stars & Stripes
▲ 12325EG	6710 Hat, Red Western
▲ 12326EG	6710 Hat, Navy Western

IN USE PICTURES MAY SHOW ITEMS NOT INCLUDED OR SOLD SEPARATELY.

⚠ **WARNING:** This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

CHILL-ITS® COOLING PVA BANDANAS

Keeps wearers cool without the bulk.

Features

- Uses advanced PVA material
- Activates in water (1 minute)
- Re-soak to reuse
- Tie closure
- Universal
- 1/Each

Part No	Description
▲ 12586EG	6710CT Hat, Lime
▲ 12587EG	6710CT Hat, Blue
▲ 12566EG	6700CT Headband, Lime
▲ 12567EG	6700CT Headband, Blue



12566EG



CHILL-ITS® FR COOLING BANDANA

Cooling relief with FR protection.

Features

- Modacrylic cotton blend fabric construction
- Activated polymers (2–5 minutes to activate in water)
- Remains hydrated for up to 4 hours
- Tie closure
- Meets ASTM F2302 for flame resistance
- Universal
- Blue
- 1/Each

Part No	Description
▲ 12607EG	6700FR Bandana



12607EG

CHILL-ITS® MICROFIBER COOLING TOWEL

Soft, absorbent, and super evaporative.

Features

- Dampen to activate or use "dry" to remove sweat
- Sun protective too (UPF 50)
- 9¹/₁₆" x 40⁷/₈"
- Blue/Gray
- 1/Each

Part No	Description
12660EG	6602MF Towel



12660EG

CHILL-ITS® COOLING TOWELS

Works anywhere it's hot—on the job, in the yard, or at the field.

Features

- Soft PVA material
- Dampen to activate
- Reusable
- 29¹/₂" x 13"
- 1/Each

Part No	Description
▲ 12420EG	6602 Towel, Blue
▲ 12438EG	6602 Towel, Gray
▲ 12439EG	6602 Towel, Hi-Vis Lime



12420EG

12438EG

WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

32 | COOLING APPAREL



12336EG



12476EG



12452EG (In Use)



940WAVOX (In Use)

CHILL-ITS® COOLING HARD HAT PADS

Heat-beating design fits most hard hat suspension systems.

Features

- Hook-&-loop attachment
- Takes 2–5 minutes to activate in water
- Universal
- Blue
- 1/Each

Part No

- ▲ 12336EG
- ▲ 12337EG
- ▲ 12338EG

Description

- 6717 Pad w/ Neck Shade
- 6715 Pad
- 6716 Liner

CHILL-ITS® HIGH-PERFORMANCE DEW RAGS

Comfortable to wear under hats, helmets, or alone.

Features

- Hi Cool® moisture management performance fabric
- Elastic band
- Absorbent terry headband
- Tie closure
- Universal
- 1/Each

Part No

- 12476EG
- 12481EG

Description

- 6615 Dew Rag, Lime
- 6615 Dew Rag, Blue

CHILL-ITS® HEAD SWEATBANDS

Keeps perspiration away from eyes and face.

Features

- Made of cotton terry w/ elastic
- Universal
- 1/Each

Part No

- 12452EG
- 12450EG

Description

- 6550 Head Sweatband, Black
- 6550 Head Sweatband, White

MIRACOOOL® NECK BANDANAS

Have a lightweight design and activates when soaked in water for 10–15 minutes.

Features

- 100% cotton
- 1/Each

Part No

- 940BDNOX
- 940KHKOX
- 940NVYOX
- 940WAVOX

Description

- Miracool Bandana, Blue Denim
- Miracool Bandana, Khaki
- Miracool Bandana, Navy
- Miracool Bandana, Wavy Flag

IN USE PICTURES MAY SHOW ITEMS NOT INCLUDED OR SOLD SEPARATELY.



WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

MIRACOOl® COOLING NECK WRAP

Exceptionally cool in a lightweight, super-absorbent material that holds water without weight.

Features

- Multi-functional (use as a scarf or a towel)
- Reusable
- 31½" x 4"
- Blue
- 1/Each

Part No	Description
▲ 930BLUOX	Miracool Wrap



930BLUOX

MIRACOOl® HARD HAT PAD

Designed to use the airflow around the hat's suspension to aid in cooling.

Features

- Hook-&-loop fastener
- Attaches to most hard hats
- Navy
- 1/Each

Part No	Description
968NVYOX	Miracool Pad



968NVYOX In Use



TRADITIONAL ABSORBENT CELLULOSE SWEATBANDS

Easy to use—just dip in water, squeeze, and wear.

Features

- Blue
- Pre-moistened, anti-mold treated

Part No	Description
SBR25OX	Cellulose Band, 25/Pkg
SBR100OX	Cellulose Band, 100/Pkg



SBR100OX

CHILL-ITS® COOLING VESTS

Features advanced polymer-embedded technology that quickly activates with water for hours of cooling relief.

Features

- 2" reflective tape
- Lightweight & breathable mesh bottom
- Soak in water 2–5 minutes to activate
- Water-repellent lining
- Interior cooling towel loops
- Zippered closure
- 2 lower interior pockets, 1 exterior chest pocket
- Lime
- 1/Each

Part No	Description
▲ 12712EG	6668 Cooling Vest, Type R, Class 2, Small
▲ 12713EG	6668 Cooling Vest, Type R, Class 2, Medium
▲ 12714EG	6668 Cooling Vest, Type R, Class 2, Large
▲ 12715EG	6668 Cooling Vest, Type R, Class 2, X-Large
▲ 12716EG	6668 Cooling Vest, Type R, Class 2, 2X-Large



12712EG



IN USE PICTURES MAY SHOW ITEMS NOT INCLUDED OR SOLD SEPARATELY.

⚠ **WARNING:** This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.



12152EG



12142EG



12193EG

CHILL-ITS® COOLING LONG SLEEVE SUN SHIRTS

Features evaporative technology for immediate cooling and UPF 50+ sun protection.

Features

- Stretch fabric for unrestricted movement
- When wet, cooling lasts for hours
- Moisture-wicking
- Mesh paneling
- Anti-odor treatment
- Zippered chest pocket
- 1/Each

Part No

- ▲ 12152EG
- ▲ 12153EG
- ▲ 12154EG
- ▲ 12155EG
- ▲ 12156EG
- ▲ 12157EG
- ▲ 12142EG
- ▲ 12143EG
- ▲ 12144EG
- ▲ 12145EG
- ▲ 12146EG
- ▲ 12147EG

Description

- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, Small, Blue
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, Medium, Blue
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, Large, Blue
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, X-Large, Blue
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, 2X-Large, Blue
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, 3X-Large, Blue
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, Small, Lime
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, Medium, Lime
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, Large, Lime
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, X-Large, Lime
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, 2X-Large, Lime
- 6689 Cooling Long Sleeve Sun Shirt w/ UV Protection, 3X-Large, Lime

CHILL-ITS® SUN PROTECTION ARM SLEEVES

UPF 50+ sun protection that wicks away sweat.

Features

- Soft, stretchable, seam-free performance knit fabric
- Moisture-wicking
- Anti-odor treatment
- Ambidextrous
- 1/Pair

Part No

- ▲ 12193EG
- ▲ 12194EG
- ▲ 12195EG
- ▲ 12196EG
- ▲ 12191EG
- ▲ 12192EG

Description

- 6695 Sun Protection Arm Sleeves, Medium/Large, American Flag
- 6695 Sun Protection Arm Sleeves, X-Large/2X-Large, American Flag
- 6695 Sun Protection Arm Sleeves, Medium/Large, Blue
- 6695 Sun Protection Arm Sleeves, X-Large/2X-Large, Blue
- 6695 Sun Protection Arm Sleeves, Medium/Large, Camo
- 6695 Sun Protection Arm Sleeves, X-Large/2X-Large, Camo

DID YOU KNOW?

Some states have their own OSHA-approved state plans that have standards for heat exposure, like California where it requires employers to provide training, water, shade, and planning when the temperature reaches 80°F.

Occupational Safety and Health Administration (n.d.) *Safety and Health Topics Heat: Heat Standards in Specific States*. Retrieved from: <https://www.osha.gov/heat-exposure/standards>



WARNING: This product may contain a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

POWER RITE® ALKALINE BATTERIES

Comparable power and quality for less.

Features

- Up to 10-year shelf life

Part No	Description
AAABPRB	Power Rite AAA Alkaline Battery, 4/Pkg
AABPRB	Power Rite AA Alkaline Battery, 4/Pkg
CBPRB	Power Rite C Alkaline Battery, 2/Pkg
DBPRB	Power Rite D Alkaline Battery, 2/Pkg
9VBPRB	Power Rite 9V Alkaline Battery, 1/Each



ENERGIZER® INDUSTRIAL® ALKALINE BATTERIES

Provides long life for today's electronic devices.

Features

- Up to 10-year shelf life

Part No	Description
AABATEN	Energizer Industrial AA Batteries, 24/Pkg
AAABATEN	Energizer Industrial AAA Batteries, 24/Pkg
CBATEN	Energizer Industrial C Batteries, 12/Pkg
DBATEN	Energizer Industrial D Batteries, 12/Pkg
6VBATEN	Energizer Industrial 6V Battery, 1/Each
9VBATEN	Energizer Industrial 9V Batteries, 12/Pkg



ENERGIZER® MAX® ALKALINE BATTERIES

Designed for long-lasting performance in a broad spectrum of devices.

Features

- Up to 10-year shelf life

Part No	Description
E91BP2EN	Energizer Max AA Batteries, 2/Pkg
E91BP4EN	Energizer Max AA Batteries, 4/Pkg
E91MP8EN	Energizer Max AA Batteries, 8/Pkg
E91CP10EN	Energizer Max AA Batteries, 10/Pkg
E91LP16EN	Energizer Max AA Batteries, 16/Pkg
E92BP2EN	Energizer Max AAA Batteries, 2/Pkg
E92BP4EN	Energizer Max AAA Batteries, 4/Pkg
E92MP8EN	Energizer Max AAA Batteries, 8/Pkg
E92CP10EN	Energizer Max AAA Batteries, 10/Pkg
E92LP16EN	Energizer Max AAA Batteries, 16/Pkg
E96BP2EN	Energizer Max AAAA Batteries, 2/Pkg
E93BP2EN	Energizer Max C Batteries, 2/Pkg
E93VPEN	Energizer Max C Batteries, Volume Pack, 176/Pkg
E95BP2EN	Energizer Max D Batteries, 2/Pkg
E95BP4EN	Energizer Max D Batteries, 4/Pkg
522BPEN	Energizer Max 9V Battery, 1/Each
522BP2EN	Energizer Max 9V Batteries, 2/Pkg
522VPEN	Energizer Max 9V Batteries, Volume Pack, 156/Pkg
529EN	Energizer Max 6V Battery, Coil Spring Terminal, 1/Each

Energizer



E92BP4EN



LN91EN

Energizer



1235EN



ECRN2016EN

ENERGIZER® INDUSTRIAL LITHIUM® BATTERIES

The world's longest lasting AA and AAA batteries are an excellent choice for today's portable technology.

Features

- 20-year shelf life for AA/AAA 10-year for 9V
- Works in temperature extremes

Part No

LN91EN*
LN92EN*
LN522EN*

Description

Energizer Industrial AA Batteries, 24/Pkg
 Energizer Industrial AAA Battery, 1/Each
 Energizer Industrial 9V Batteries, 12/Pkg
 *Cannot ship to AK, HI, PR, or Catalina.

EVEREADY® SUPER HEAVY-DUTY BATTERIES

Dependability at an affordable price—great for clocks, flashlights, radios, and other low-drain devices.

Part No

1215EN
1212SW4EN
1235EN
1235SW2EN
1250EN
1250SW2EN
1222SWEN
1209EN

Description

Eveready AA Batteries, 24/Pkg
 Eveready AAA Batteries, 4/Pkg
 Eveready C Battery, 1/Each
 Eveready C Batteries, 2/Pkg
 Eveready D Battery, 1/Each
 Eveready D Batteries, 2/Pkg
 Eveready 9V Battery, 1/Each
 Eveready 6V Battery, Spring Terminal, 1/Each

ENERGIZER® SPECIALTY BATTERIES

Offering world-class capacity and leakage resistance.

Features

- Use in watches, toys, glucose monitors, & calculators.

Part No

ECR1616BPEN*
ECR1620BPEN*
ECR1632EN
ECRN2016EN*
ECRN2025EN*
ECR2032EN*/**
ECRN2032EN*
ECR2450BPEN*
357BPZEN
357BPZ3EN
A23BPZEN
A23BPZ2EN
A76BPZEN
EPX76BPZEN
E90BPZEN
364BPZEN
371BPZEN
377BPZEN
379BPZEN
389BPZEN
392BPZEN

Description

Energizer 1616, 1/Each
 Energizer 1620, 1/Each
 Energizer 1632, 1/Each
 Energizer 2016, 5/Pkg
 Energizer 2025, 5/Pkg
 Energizer 2032, Tear Strip, 1/Each
 Energizer 2032, 5/Pkg
 Energizer 2450, 1/Each
 Energizer 357, 1/Each
 Energizer 357, 3/Pkg
 Energizer A23, 1/Each
 Energizer A23, 2/Pkg
 Energizer A76, 1/Each
 Energizer EPX76, 1/Each
 Energizer N, 2/Pkg
 Energizer 364, 1/Each
 Energizer 371, 1/Each
 Energizer 377, 1/Each
 Energizer 379, 1/Each
 Energizer 389, 1/Each
 Energizer 392, 1/Each

*Cannot ship to AK, HI, PR, or Catalina.

**Tear Strip Packaging—must order in quantities of 100.

RAYOVAC® ULTRA PRO™ ALKALINE BATTERIES

Specially engineered for professional use.

Features

- Shrink-wrapped to minimize packaging
- Mercury-free formula
- Meets EPA requirements for landfill disposal
- 10-year shelf life (5-years for AL9VBJEN)

Part No	Description
ALAA8JEN	Rayovac Ultra Pro AA Alkaline Batteries, Shrink Wrapped, 8/Pkg
ALC6JEN	Rayovac Ultra Pro C Alkaline Batteries, Shrink Wrapped, 6/Pkg
ALD6JEN	Rayovac Ultra Pro D Alkaline Batteries, Shrink Wrapped, 6/Pkg
AL9V6JEN	Rayovac Ultra Pro 9V Alkaline Batteries Shrink Wrapped, 6/Pkg
ALAA24PPJEN	Rayovac Ultra Pro AA Alkaline Batteries, Contractor Pack, 24/Pkg
ALAAA24PPJEN	Rayovac Ultra Pro AAA Alkaline Batteries, Contractor Pack, 24/Pkg
ALD12PPJEN	Rayovac Ultra Pro D Alkaline Batteries, Contractor Pack, 12Pkg



ALAA8JEN



RAYOVAC® HEAVY DUTY D ZINC CARBON BATTERIES

Perfect for low-drain devices.

Features

- Shrink-wrapped
- Zinc chloride, mercury-free formula
- Meets EPA requirements for landfill disposal
- 3-year shelf life
- 6/Pkg

Part No	Description
HDDFEN	Rayovac Heavy Duty D Zinc Carbon Batteries



HDDFEN

RAYOVAC® 303/357 1.5V SILVER OXIDE COIN CELL BATTERY

Ideal for watches, calculators, medical devices, and more.

Features

- Mercury-free formula
- Meets EPA requirements for landfill disposal
- 10-year shelf life
- 1/Each

Part No	Description
3033571ZMGEN	Rayovac 303/357 1.5V Silver Oxide Coin Cell Battery



3033571ZMGEN

BOOSTER CABLES & BATTERY TERMINALS



81208808SW

LIGHT DUTY BOOSTER CABLES

Easy, tangle-free operation.

Features

- Dual extruded wire
- PVC jacket
- 200 A copper-plated steel clamps
- 12', 10 ga
- Black
- 1/Pair

Part No	Description
81208808SW	Light Booster Cables



84658802SW

MEDIUM DUTY BOOSTER CABLES

Ergonomically designed for easy handling and attachment to both top and side post batteries.

Features

- Polar-Glo™ clamps
- T*Prene® jacket insulation
- Triple-polarity labels (color coding, indent stamping, & glow-in-the-dark)
- Shielded/recessed surfaces to avoid short circuits/accidental contact
- Remains flexible under temperature extremes
- Oil, chemical, & water resistant
- 8 ga
- Yellow
- 1/Pair

Part No	Description
84458802SW	Medium Booster Cables, 200 A, 12', Box
84358802SW	Medium Booster Cables, 200 A, 12', Sleeve
84678802SW	Medium Booster Cables w/ Polar-Glo Clamps, 200 A, 12', Bag
84658802SW	Medium Booster Cables w/ Polar-Glo Clamps, 300 A, 12', Box
84668802SW	Medium Booster Cables w/ Polar-Glo Clamps, 275 A, 16', Sleeve



Southwire®



85650103SW

HEAVY DUTY BOOSTER CABLES

Ergonomically designed for easy handling and attachment to both top and side post batteries.

Features

- Polar-Glo™ clamps
- T*Prene® jacket insulation
- Triple-polarity labels (color coding, indent stamping, & glow-in-the-dark)
- Shielded/recessed surfaces to avoid short circuits/accidental contact
- Remains flexible under temperature extremes
- Oil, chemical, & water resistant
- 6 ga
- Orange
- 1/Pair

Part No	Description
85650103SW	Heavy Booster Cables, 300 A, 12'
85660103SW	Heavy Booster Cables, 250 A, 16'



86650104SW

EXTRA HEAVY DUTY BOOSTER CABLES

Ergonomically designed for easy handling and attachment to both top- and side-post batteries.

Features

- Polar-Glo™ clamps
- T*Prene® jacket insulation
- Triple-polarity identification w/ color coding, indent stamping, & glow-in-the-dark labels
- Surfaces shielded/recessed to avoid short circuits & accidental contact
- Remain flexible under extreme temperatures
- Oil, chemical, & water resistant
- UL listed
- 4 ga
- Red
- 1/Pair

Part No	Description
86650104SW	X-Heavy Booster Cables, 400 A, 12'
86660104SW	X-Heavy Booster Cables, 350 A, 16'
86600104SW	X-Heavy Booster Cables, 300 A, 20'
86620104SW	X-Heavy Booster Cables, 250 A, 25'

COMMERCIAL GRADE BOOSTER CABLES

Engineered for professional mechanics.

Features

- Zinc-plated steel parrot jaw clamps
- Serrated copper-clad teeth
- Non-slip vinyl-coated grips
- Tangle-free dual extruded wire cables
- 500 A
- Black
- 1/Pair

Part No	Description
87650108SW	Commercial Booster Cables, 4 ga, 12'
87660108SW	Commercial Booster Cables, 4 ga, 16'
87600108SW	Commercial Booster Cables, 4 ga, 20'
88600108SW	Commercial Booster Cables, 2 ga, 20'
88620108SW	Commercial Booster Cables, 2 ga, 25'



87650108SW

MARINE TOP POST BATTERY TERMINALS

Compatible with marine-grade batteries (6V and 12V) and marine battery cables (6 ga–1 ga).

Features

- RoHS compliant

Part No	Description
FWD9621SW	Marine Terminal, Lead, 1/Each
FWD9622SW	Marine Terminals, Lead, 2/Pkg
FWD9628SW	Marine Terminals, Lead, 8/Pkg
FWD962C2SW	Marine Terminals, Red/Black Plastic Coated Lead, 2/Pkg



FWD9622SW

HEAVY-DUTY TOP POST BATTERY TERMINALS

Compatible with marine-grade batteries (6V and 12V) and marine battery cables (6 ga–1 ga).

Features

- RoHS compliant

Part No	Description
FWD903B1SW	Heavy-Duty Terminal, Brass, 1/Each
FWD9091SW	Heavy-Duty Terminal, Tin Plated Brass, 1/Each
FWD904SW	Heavy-Duty Terminal w/ Wing Nut, Tin Plated Brass, 1/Each
FWD9031SW	Heavy-Duty Terminal, Magnesium/Aluminum Alloy, 1/Each
FWD90310SW	Heavy-Duty Terminals, Magnesium/Aluminum Alloy, 10/Pkg
FWD903100SW	Heavy-Duty Terminals, Magnesium/Aluminum Alloy, 100/Pkg
FWD903C2SW	Heavy-Duty Terminals w/ Red & Black Coating, Magnesium/Aluminum Alloy, 2/Pkg



FWD903C2SW

EXTRA-HEAVY & HEAVY-DUTY BATTERY TERMINALS

For use on commercial vehicles.

Features

- Magnesium/aluminum alloy construction
- Fits 6V or 12V side post batteries
- Compatible w/ top post battery cables (6 ga–1 ga)
- RoHS compliant

Part No	Description
FWD9051SW	Heavy-Duty Battery Terminal, Side Terminal, 1/Each
FWD9057SW	Heavy-Duty Battery Terminals, Side Terminal, 7/Pkg
FWD9061SW	Extra-Heavy-Duty Battery Terminal, Top Post, 1/Each
FWD90660SW	Extra-Heavy-Duty Battery Terminal, Top Post, 50/Pkg



FWD9061SW



FWD55671323SW

GPT PRIMARY WIRE

For use at nominal system voltages of 60 VDC/25 VAC, or less, in surface vehicle electrical systems.

Features

- Made w/ fully annealed stranded bare copper conductors
- Premium grade abrasion, chemical, & moisture-resistant, color-coded PVC insulation
- Suitable for low-voltage use
- Black
- 1/Each

Part No	Description
FWD55667333SW	GPT Wire, 18 ga, 33'
FWD55667323SW	GPT Wire, 18 ga, 100'
FWD55666633SW	GPT Wire, 16 ga, 24'
FWD55666623SW	GPT Wire, 16 ga, 100'
FWD55667133SW	GPT Wire, 14 ga, 17'
FWD55667123SW	GPT Wire, 14 ga, 100'
FWD55671333SW	GPT Wire, 12 ga, 11'
FWD55671323SW	GPT Wire, 12 ga, 100'
FWD55671833SW	GPT Wire, 10 ga, 7'
FWD55671823SW	GPT Wire, 10 ga, 100'



FWD515640318SW

TRAILER WIRE

Flat (parallel bonded) design maximizes ease of use.

Features

- (4) 100% copper conductors
- PVC jacket
- Abrasion & weather resistant (-4°F to 140°F)
- Meets SAE standards
- RoHS compliant
- 100', 16 ga
- Brown/Green/Yellow/White
- 1/Each

Part No	Description
FWD515640318SW	Trailer Wire

DID YOU KNOW?

According to the Code of Federal Regulations, electrical wiring shall be installed and maintained to conform to SAE J1292 - Automobile, Truck, Truck-Tractor, Trailer, and Motor Coach Wiring, October 1981, except the jumper cable plug and receptacle need not conform to SAE J560.

Code of Federal Regulation. Title 49 (August 15th, 2005). 393.28 Wiring Systems. Retrieved from: <https://www.ecfr.gov/current/title-49/subtitle-B/chapter-III/subchapter-B/part-393/subpart-B/section-393.28>



POLAR/SOLAR® OUTDOOR EXTENSION CORDS WITH LIGHTED ENDS

Superior abrasion, ozone, oil, grease, and chemical resistance.

Features

- Lightweight & flexible to -58°F
- Rugged T*Prene insulation
- Lighted end
- Reinforced blades
- Heavy-duty strain relief
- Outer jacket is chemical resistant & water resistant
- 125 VAC
- UL listed
- Yellow
- 1/Each

Part No	Description
1287SW0002SW	Polar/Solar Cord w/ Lighted End, 16/3 ga, 13 A, 25'
1487SW0002SW	Polar/Solar Cord w/ Lighted End, 14/3 ga, 15 A, 25'
1687SW0002SW	Polar/Solar Cord w/ Lighted End, 12/3 ga, 15 A, 25'
1688SW0002SW	Polar/Solar Cord w/ Lighted End, 12/3 ga, 15 A, 50'
1689SW0002SW	Polar/Solar Cord w/ Lighted End, 12/3 ga, 15 A, 100'



1688SW0002SW



OUTDOOR EXTENSION CORDS

Resists moisture, abrasion, and prolonged exposure to sunlight.

Features

- Vinyl jacket
- Reinforced blades
- Molded plugs
- Heavy-duty strain relief
- 125 VAC
- UL/cUL/ETL listed
- 1/Each

Part No	Description
260SW	Cord, 16/3 ga, 13 A, 8', Black
990261SW	Cord, 16/3 ga, 13 A, 15', Black
2307SW8803SW	Cord, 16/3 ga, 13 A, 25', Orange
2308SW8803SW	Cord, 16/3 ga, 13 A, 50', Orange
2407SW8804SW	Cord, 14/3 ga, 15 A, 25', Red
626SW	Cord, 14/3 ga, 15 A, 50', Orange
2408SW8804SW	Cord, 14/3 ga, 15 A, 50', Red
2409SW8804SW	Cord, 14/3 ga, 15 A, 100', Red



260SW

HI-VISIBILITY/LOW TEMP OUTDOOR EXTENSION CORD WITH LIGHTED END

Super flexible to -58°F.

Features

- Power indicator (female receptacle)
- UL listed
- SJTW, 25'
- 14/3 ga, 125 VAC, 15 A
- Blue
- 1/Each

Part No	Description
2467SW8806SW	Hi-Vis/Low Temp Cord w/ Lighted End



2467SW8806SW

TRI-SOURCE® EXTENSION CORDS

Extra outlets for power distribution.

Features

- Vinyl jacket
- Moisture, abrasion, & UV resistant
- Reinforced blades
- Heavy-duty strain relief
- 125 VAC, 15 A
- Yellow
- 1/Each

Part No	Description
4112SW8802SW	Tri-Source Cord, STW, 2'
4188SW8802SW	Tri-Source Cord w/ Lighted End, SJTW, 50'



4112SW8802SW



GOING BEYOND TRAFFIC SAFETY



888.675.0190 (Toll Free) | 208.314.7475 (Local & Intl.) | 208.672.3003 (Fax)

info@ifwsales.com | www.ifwproducts.com